Hohmann & Barnard, Inc. Material Safety Data Sheet *** VS Series PVC Control Joint ***

Hohmann & Barnard, Inc. 30 Rasons Court Hauppauge, NY 11788

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)
Form Approved OMB No. 1218-0072

IDENTITY (As used on Label and List)	Note: Blank spaces are not permitted. If any item is
VS-SERIES P.V.C. CONTROL JOINT	not applicable, or no information is available, the
	space must be marked to indicate that.

Section I

Manufacturer's Name				
Hohmann & Barnard, Inc.				
30 Rasons Ct				
Hauppauge, NY 11788				

Section II - Hazardous Ingredients / Identity Information

Hazardous Components	OSHA PEL (optional)	ACGIH TLV	Other Limits	%
(Chemical Identity Common Name(s))	(-1)		Recommend	led
- Less than 1.0 PPM Residual Vinyl Chloride Monomer				
- PVC compound contains metal additives Barium / Cadmium / Zinc				
- Less than or equal to 1.0% as stabilizer.				
- Product contains one or more Phthalate Ester Plasticizers in significant levels				

Section III - Physical / Chemical Characteristics

Boiling Point	Solid	Specific Gravity ($H_2O = 1$)	1.37
Vapor Pressure (mm Hg)	Solid	Melting Point	350°F
Vapor Density (Air = 1)	Solid	Evaporation Rate (Butyl Acetate = 1)	Solid
Solubility in Water: None			
Appearance and Odor: Straight lengths of extruded plastic			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method used) N/A	Flammable Limits	LEL	UEL			
Extinguishing Media Self Extinguishing, water spray, CO ₂ - dry chemical						
Special Fire Fighting Procedures						
When fighting fire in confined area, self-contained breathing apparatus should be worn.						
Unusual Fire and Explosion Hazards: PVC evolves hydrogen chloride, carbon monoxide and other toxic						
gases when burned. Confined exposure to extremely high concentration of combustion products may be						
fatal and should be avoided.						

Section $V\,$ - Reactivity Data

Stability	Unstable	(Conditions to Avoid	
N/A	Stable	X		
Incompatibility (Materials to Avoid): None				
Hazardous Decomposition of By-products:				
Hydrogen Chloride, Carbon Monoxide, Carbon Dioxide				
Hazardous Polymerization	n May C	occur	Conditions to Avoid	
N/A	Will N	lot Occur		

Section VI - Health Hazard Data

Health Hazards (Acute and Chronic) Carcinogenicity: NTP? IARC Monographs? OSHA Regula Signs and Symptoms of Exposure	
Signs and Symptoms of Exposure	ated?
Medical Conditions	
Generally Aggravated by Exposure	

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled:
Solid - pick it up.
Waste Disposal Method:
Send to sanitary land fill, no special precautions.
Precautions to Be Taken in Handling and Storing:
Under normal handling & use conditions there is no hazard to health.
Other Precautions:

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>): Fumes from molten plastic should not be breathed unnecessarily				
Ventilation	Local Exhaust	iccossarity	Special	
	Mechanical (Gene	eral)	Other	
Protective Gloves: N/A		Eye Protection:	N/A	
Other Protective Clothing or Equipment:				
Work / Hygienic Practices:				